

View Online at <https://aerobasegroup.com/nsn/5340-01-162-3103>

**First Leg Length:**

1.081 inches

**Second Leg Length:**

2.442 inches

**End Application:**

Tf33 pw102 engine, kc-135

**First Leg Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Second Leg Hole Diameter:**

Between 0.214 inches and 0.224 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.380 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.312 inches

**First Leg Thickness:**

Between 0.056 inches and 0.068 inches

**Second Leg Thickness:**

Between 0.056 inches and 0.068 inches

**First Leg Corner Radius:**

0.312 inches

**First Leg Distance Between Hole Centers Along Width:**

1.031 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.312 inches

**Second Leg End Radius:**

0.312 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

Ams 5504 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0