

View Online at <https://aerobasegroup.com/nsn/5340-01-162-9782>

Mounting Hole Type:

Plain

First Leg Length:

1.040 inches

Second Leg Length:

1.345 inches

Second Leg Width:

4.000 inches

First Leg Hole Diameter:

Between 0.335 inches and 0.350 inches

Second Leg Hole Diameter:

Between 0.240 inches and 0.250 inches

Second Leg Distance Between Hole Centers Along Width:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.650 inches

First Leg Thickness:

Between 0.041 inches and 0.049 inches

Second Leg Thickness:

Between 0.041 inches and 0.049 inches

Center Section Height:

0.865 inches

Center Section Thickness:

Between 0.041 inches and 0.049 inches

First Leg Width:

2.500 inches

First Leg End Width:

0.480 inches

First Leg Distance From Edge To Hole Center Along Length:

0.410 inches

First Leg Style:

Square and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Features Provided:

Notched slide

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 1008 or steel comp 1010

Material Specification:

Sae assn standard all material responses

Surface Treatment:

Primer

Surface Treatment Specification:

Gm-9988401 fscm 11862 mfr ref single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0