

View Online at <https://aerobasegroup.com/nsn/5340-01-163-6528>

Mounting Hole Type:

Plain

First Leg Length:

1.500 inches

Second Leg Length:

9.000 inches

Second Leg Width:

8.750 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

0.406 inches

Second Leg Hole Diameter:

0.281 inches

Second Leg Distance Between Hole Centers Along Width:

3.750 inches

Second Leg Distance Between Hole Centers Along Length:

4.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.500 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

5.000 inches

First Leg Distance Between Hole Centers Along Width:

3.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.620 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg has two holes with diameter 0.281 in., two holes with diameter 0.406 in., one hole diameter 1.000 in., left handed

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

Surface Treatment:

Enamel

Surface Treatment Specification:

Tt-e-529 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0