

View Online at <https://aerobasegroup.com/nsn/5340-01-164-7535>

Mounting Hole Type:

Plain

First Leg Length:

2.000 inches

Second Leg Length:

4.870 inches

End Application:

Nsn 2320-01-097-0260 hemtt (heavy expanded mobility tactical truck); 2320-01-304-2277 and 2320-01-304-2278 pls (palletized loading system)

Second Leg Width:

2.250 inches

Second Leg Corner Radius:

0.500 inches

First Leg Hole Diameter:

0.410 inches

Second Leg Hole Diameter:

0.410 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.500 inches

Second Leg Thickness:

0.500 inches

First Leg Width:

2.250 inches

First Leg Corner Radius:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

1.130 inches

First Leg Distance From Edge To Hole Center Along Length:

0.620 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

55.0 degrees

Special Features:

Second leg has cutout 2.250 in. Long and 0.750 in. Deep all corners of notch have a radius of 0.500 in.

Material:

Steel comp 1020

Material Specification:

Sae assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0