

View Online at <https://aerobasegroup.com/nsn/5340-01-166-0783>

Mounting Hole Type:

Plain

First Leg Length:

3.310 inches

Second Leg Length:

3.500 inches

Reinforcement Method (non-core):

Gusset both legs

Second Leg Width:

2.250 inches

First Leg Hole Diameter:

0.340 inches

Second Leg Hole Diameter:

0.410 inches

Second Leg Distance Between Hole Centers Along Width:

1.810 inches

Second Leg Distance Between Hole Centers Along Length:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

2.250 inches

First Leg Distance Between Hole Centers Along Width:

0.780 inches

First Leg Distance Between Hole Centers Along Length:

0.410 inches

First Leg Distance From Edge To Hole Center Along Width:

0.660 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Left hand

Material:

Steel comp m1010 or steel comp m1012 or steel comp m1015 or steel comp m1017 or steel comp m1020 or steel comp m1023 or steel comp m1025

Material Specification:

Astm a575 assn standard all material responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0