

View Online at <https://aerobasegroup.com/nsn/5340-01-167-9829>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.210 inches

**Second Leg Length:**

4.420 inches

**Second Leg Width:**

2.720 inches

**Second Leg Corner Radius:**

0.250 inches

**First Leg Hole Diameter:**

0.280 inches

**Second Leg Hole Diameter:**

0.280 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.625 inches

**Second Leg Distance Between Hole Centers Along Length:**

3.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.550 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.400 inches and 0.440 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

2.720 inches

**First Leg Corner Radius:**

0.250 inches

**First Leg Distance Between Hole Centers Along Width:**

1.875 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.400 inches and 0.440 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.450 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

4second leg has a 1.250 in. Nom diameter hole; distance from edge to hole center along width is 1.360 in. Nom; distance from edge to hole center along length is 1.920 in. Nom; first leg has a 0.500 in. Nom radius with two 0.250 in. Nom radius corners

**Material:**

Steel comp 1020

**Material Specification:**

Astm a568 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0