

View Online at <https://aerobasegroup.com/nsn/5340-01-167-9829>

Mounting Hole Type:

Plain

First Leg Length:

1.210 inches

Second Leg Length:

4.420 inches

Second Leg Width:

2.720 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

0.280 inches

Second Leg Hole Diameter:

0.280 inches

Second Leg Distance Between Hole Centers Along Width:

1.625 inches

Second Leg Distance Between Hole Centers Along Length:

3.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.550 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.400 inches and 0.440 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

2.720 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

1.875 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.400 inches and 0.440 inches

First Leg Distance From Edge To Hole Center Along Length:

0.450 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

4second leg has a 1.250 in. Nom diameter hole; distance from edge to hole center along width is 1.360 in. Nom; distance from edge to hole center along length is 1.920 in. Nom; first leg has a 0.500 in. Nom radius with two 0.250 in. Nom radius corners

Material:

Steel comp 1020

Material Specification:

Astm a568 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0