

View Online at <https://aerobasegroup.com/nsn/5340-01-168-1849>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.750 inches

**Second Leg Length:**

1.620 inches

**Second Leg Width:**

1.440 inches

**Second Leg Corner Radius:**

0.440 inches

**First Leg Hole Diameter:**

0.219 inches

**Second Leg Hole Diameter:**

0.531 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.440 inches

**First Leg Thickness:**

0.119 inches

**Second Leg Thickness:**

0.119 inches

**Center Section Height:**

2.120 inches

**Center Section Width:**

1.620 inches

**Center Section Thickness:**

0.119 inches

**First Leg Width:**

1.620 inches

**First Leg Distance Between Hole Centers Along Width:**

1.063 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.280 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Material:**

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Mil-e-52798 military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-e-52798 spec.