NSN 5340-01-168-3101



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-168-3101 **Mounting Hole Type:** Plain First Leg Length: 1.000 inches Second Leg Length: 3.690 inches Second Leg Width: 8.380 inches First Leg Hole Diameter: Between 0.220 inches and 0.226 inches Second Leg Hole Diameter: Between 0.193 inches and 0.200 inches Second Leg Distance Between Hole Centers Along Width: 7.625 inches Second Leg Distance From Edge To Hole Center Along Width: 0.380 inches First Leg Thickness: 0.090 inches Second Leg Thickness: 0.090 inches First Leg Width: 8.380 inches First Leg Distance Between First And Second Hole Centers Along Width: 3.190 inches First Leg Distance Between Second And Third Hole Centers Along Width: 3.190 inches First Leg Distance From Edge To Hole Center Along Width: 1.000 inches First Leg Distance From Edge To Hole Center Along Length: 0.210 inches First Leg Style: Square First Leg Hole Arrangement Style: Three holes Second Leg Style: Square **Second Leg Hole Arrangement Style:** Two holes

Second Leg Relationship To First Leg: Not identical

First Leg Angle:

90.0 degrees

NSN 5340-01-168-3101

Angle Bracket - Page 2 of 2



S	pe	cia	al F	-ea	ıtu	re	S
---	----	-----	------	-----	-----	----	---

First leg has three other holes same diameter and same distance above lower hole; second leg has three other holes with diameter 0.129 in.

Material:

Aluminum alloy 5052 or aluminum alloy 6061

Min, 0.133 in. Max, spaced 2.875 in. Apart along width

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.