

View Online at <https://aerobasegroup.com/nsn/5340-01-168-9271>

**Mounting Hole Type:**

Countersunk

**First Leg Length:**

0.750 inches

**Second Leg Length:**

3.000 inches

**Second Leg Width:**

5.500 inches

**Second Leg Corner Radius:**

0.500 inches

**First Leg Hole Diameter:**

0.281 inches

**Second Leg Hole Diameter:**

0.218 inches

**Second Leg Distance Between Hole Centers Along Width:**

2.000 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.810 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.438 inches

**First Leg Thickness:**

0.1196 inches

**Second Leg Thickness:**

0.1196 inches

**First Leg Width:**

5.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Four 0.218 in. Diameter holes on second leg are plain; one 1.250 in. Diameter hole with a 0.190 in. Radius key slot

**Material:**

Steel

**Surface Treatment:**

Enamel semigloss

**Surface Treatment Specification:**

Tt-e-529 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0