

View Online at <https://aerobasegroup.com/nsn/5340-01-172-2859>

First Leg Length:

1.780 inches

Second Leg Length:

1.780 inches

Second Leg Width:

Between 0.985 inches and 1.015 inches

First Leg Hole Diameter:

Between 0.375 inches and 0.385 inches

Second Leg Hole Diameter:

Between 0.375 inches and 0.385 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.327 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Thickness:

Between 0.235 inches and 0.265 inches

Second Leg Thickness:

Between 0.235 inches and 0.265 inches

Center Section Height:

1.438 inches

Center Section Width:

0.740 inches

Center Section Thickness:

0.740 inches

First Leg Width:

Between 0.985 inches and 1.015 inches

First Leg Distance From Edge To Hole Center Along Width:

1.327 inches

First Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

45.0 degrees

Second Leg Angle:

45.0 degrees

Special Features:

If optional matl investment casting steel is used, must be radiographicinspected per mil-std-453, 2-2t

Material:

Steel

Material Specification:

Qq-s-626 federal specification single material response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-453 spec.