Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-172-7750

Mounting Hole Type:
Plain and threaded
First Leg Length: 0.440 inches
Second Leg Length:
1.060 inches
Second Leg Width:
2.500 inches
First Leg Hole Diameter:
0.138 inches
Second Leg Distance Between Hole Centers Along Width:
1.880 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.4035 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.405 inches
Second Leg Slot Length:
0.500 inches
Second Leg Slot Width:
0.187 inches
First Leg Thickness:
0.104 inches
Second Leg Thickness:
0.104 inches
Center Section Height:
1.500 inches
Center Section Width:
2.500 inches
Center Section Thickness:
0.104 inches
First Leg Width:
2.500 inches
First Leg Distance Between First And Second Hole Centers Along Width:
0.880 inches
First Leg Distance Between Second And Third Hole Centers Along Width:
0.870 inches
First Leg Distance From Edge To Hole Center Along Width:
0.380 inches
First Leg Distance From Edge To Hole Center Along Length:
0.125 inches
First Leg Style:
Square

NSN 5340-01-172-7750

Double Angle Bracket - Page 2 of 2



First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Three no.6-32 unc holes on firstleg

Material:

Steel

Material Specification:

Astm a366 assn standard single material response

Surface Treatment:

Chromate zinc and enamel

Surface Treatment Specification:

Tt-p-1757, cmpsn I, color y federal specification 1st treatment response and tt-e-527, cmpsn I, color n0. 37875 federal specification 2nd

treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0