## NSN 5340-01-173-2378

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-173-2378

| Mounting Hole Type:  |
|--|
| Plain  |
| First Leg Length:  |
| 0.750 inches   |
| Second Leg Length:   |
| 0.750 inches   |
| Second Leg Width:  |
| 11.000 inches  |
| First Leg Hole Diameter:                                   |
| 0.213 inches   |
| Second Leg Hole Diameter:                                  |
| 0.204 inches   |
| Second Leg Distance Between Hole Centers Along Width:      |
| 5.000 inches   |
| Second Leg Distance From Edge To Hole Center Along Width:  |
| 1.000 inches   |
| Second Leg Distance From Edge To Hole Center Along Length: |
| 0.310 inches   |
| First Leg Thickness:                                       |
| 0.125 inches   |
| Second Leg Thickness:                                      |
| 0.125 inches   |
| First Leg Width:   |
| 11.000 inches  |
| First Leg Distance Between Hole Centers Along Width:       |
| 2.010 inches   |
| First Leg Distance From Edge To Hole Center Along Width:   |
| 0.600 inches   |
| First Leg Distance From Edge To Hole Center Along Length:  |
| 0.310 inches   |
| First Leg Style:   |
| Square   |
| First Leg Hole Arrangement Style:                          |
| Two holes  |
| Second Leg Style:  |
| Square   |
| Second Leg Hole Arrangement Style:                         |
| Two holes  |
| Second Leg Relationship To First Leg:                      |
| Not identical  |
| First Leg Angle:   |

90.0 degrees

## **NSN 5340-01-173-2378** Angle Bracket - Page 2 of 2

Material:

A042a0



| Steel  |
|--|
| Material Specification:  |
| Astm a 36 assn standard single material response                                     |
| Surface Treatment:   |
| Paint  |
| Surface Treatment Specification:   |
| Tt-e-527, lusterless white no. 37875 federal specification single treatment response |
| Style Designator:  |
| Angle  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |