NSN 5340-01-174-4732

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-174-4732

| wounting noie Type: |
|--|
| Plain |
| First Leg Length: |
| 0.500 inches |
| Second Leg Length: |
| 0.660 inches |
| First Leg Hole Diameter: |
| 0.125 inches |
| First Leg Thickness: |
| 0.062 inches |
| Second Leg Thickness: |
| 0.062 inches |
| First Leg Width: |
| 2.000 inches |
| First Leg Distance Between Hole Centers Along Width: |
| 1.600 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.200 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.200 inches |
| First Leg Style: |
| Square |
| First Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| 90.0 degrees |
| Material: |
| Aluminum alloy 6061 |
| Material Specification: |
| Qq-a-200/8 federal specification single material response |
| Surface Treatment: |
| Anodize |
| Surface Treatment Specification: |
| Mil-a-8625, type 1, cl 2, black military specification single treatment response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

NSN 5340-01-174-4732

Angle Bracket - Page 2 of 2



Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.