

View Online at <https://aerobasegroup.com/nsn/5340-01-178-6037>

Mounting Hole Type:

Plain

First Leg Length:

Between 3.560 inches and 3.680 inches

Second Leg Length:

3.932 inches

Second Leg Width:

3.000 inches

First Leg Slot Length:

0.812 inches

First Leg Slot Width:

0.438 inches

Second Leg Hole Diameter:

0.750 inches

Second Leg Distance Between Upper Hole Centers Along Width:

1.750 inches

Second Leg Distance Between Hole Centers Along Length:

1.312 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.620 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.620 inches

First Leg Thickness:

Between 0.230 inches and 0.280 inches

Second Leg Thickness:

Between 0.230 inches and 0.280 inches

First Leg Width:

3.000 inches

First Leg Distance Between Hole Centers Along Width:

2.000 inches

First Leg Distance Between Hole Centers Along Length:

1.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.865 inches

Second Leg End Radius:

0.620 inches

First Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg is tapered on one side only

Material:

Steel

Material Specification:

1e65, fscm 11083 mfr ref single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0