

View Online at <https://aerobasegroup.com/nsn/5340-01-179-2701>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.500 inches and 0.560 inches

Second Leg Length:

Between 0.320 inches and 0.380 inches

Second Leg Width:

Between 0.220 inches and 0.280 inches

First Leg Hole Diameter:

Between 0.140 inches and 0.149 inches

First Leg Thickness:

0.005 inches

Second Leg Thickness:

0.005 inches

First Leg Width:

Between 0.220 inches and 0.280 inches

First Leg Distance Between Hole Centers Along Length:

Between 0.240 inches and 0.260 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.110 inches and 0.130 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.110 inches and 0.130 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

0.03 r bend

Material:

Steel comp 302

Material Specification:

Qq-s-766 federal specification single material response

Surface Treatment:

Passivate

Special Test Features (non-core):

Ansi y14.5-1973 applies; quality assurance per mil-std-109

Surface Treatment Specification:

Astm a380 assn standard single treatment response

Style Designator:

Angle

Supplementary Features (non-core):

Protector, pulley

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-109 spec.