

View Online at <https://aerobasegroup.com/nsn/5340-01-179-2701>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.500 inches and 0.560 inches

**Second Leg Length:**

Between 0.320 inches and 0.380 inches

**Second Leg Width:**

Between 0.220 inches and 0.280 inches

**First Leg Hole Diameter:**

Between 0.140 inches and 0.149 inches

**First Leg Thickness:**

0.005 inches

**Second Leg Thickness:**

0.005 inches

**First Leg Width:**

Between 0.220 inches and 0.280 inches

**First Leg Distance Between Hole Centers Along Length:**

Between 0.240 inches and 0.260 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.110 inches and 0.130 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.110 inches and 0.130 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

No hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

0.03 r bend

**Material:**

Steel comp 302

**Material Specification:**

Qq-s-766 federal specification single material response

**Surface Treatment:**

Passivate

**Special Test Features (non-core):**

Ansi y14.5-1973 applies; quality assurance per mil-std-109

**Surface Treatment Specification:**

Astm a380 assn standard single treatment response

**Style Designator:**

Angle

**Supplementary Features (non-core):**

Protector, pulley

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-std-109 spec.