NSN 5340-01-180-8788

Spacing Threaded Standoff - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-180-8788

Thread	Clace

2b left internal (includes through thread)2a right external

Thread Direction:

Right-hand right external

Thread Length:

0.250 inches left internal (includes through thread)0.420 inches right external

Flange Thickness:

Between 0.415 inches and 0.457 inches

Length:

Between 1.052 inches and 1.072 inches

Flange Width Across Flats:

Between 0.365 inches and 0.385 inches

Thready Qty Per Inch (tpi):

32 right external

Thread Size:

0.190 inches right external

Material:

Steel comp 1010 standoff or steel comp 1015 standoff or steel comp 1016 standoff or steel comp 1018 standoff or steel comp 1020 standoff or steel comp 1022 standoff or steel comp 1025 standoff or steel comp 1030 standoff or steel comp 1117 standoff or steel comp 1118 standoff

Material Specification:

Astm a108 assn standard all material responses standoff

Surface Treatment:

Cadmium standoff and chromate standoff

Surface Treatment Specification:

Qq-p-416, type 2 cl 3 federal specification single treatment response standoff

Style Designator:

Flanged with left internal thread

Thread Series Designator:

Unf right external

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A08900