

View Online at <https://aerobasegroup.com/nsn/5340-01-180-8788>

**Thread Class:**

2b left internal (includes through thread)2a right external

**Thread Direction:**

Right-hand right external

**Thread Length:**

0.250 inches left internal (includes through thread)0.420 inches right external

**Flange Thickness:**

Between 0.415 inches and 0.457 inches

**Length:**

Between 1.052 inches and 1.072 inches

**Flange Width Across Flats:**

Between 0.365 inches and 0.385 inches

**Thready Qty Per Inch (tpi):**

32 right external

**Thread Size:**

0.190 inches right external

**Material:**

Steel comp 1010 standoff or steel comp 1015 standoff or steel comp 1016 standoff or steel comp 1018 standoff or steel comp 1020 standoff or steel comp 1022 standoff or steel comp 1025 standoff or steel comp 1030 standoff or steel comp 1117 standoff or steel comp 1118 standoff

**Material Specification:**

Astm a108 assn standard all material responses standoff

**Surface Treatment:**

Cadmium standoff and chromate standoff

**Surface Treatment Specification:**

Qq-p-416, type 2 cl 3 federal specification single treatment response standoff

**Style Designator:**

Flanged with left internal thread

**Thread Series Designator:**

Unf right external

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08900