

View Online at <https://aerobasegroup.com/nsn/5340-01-181-3530>

Mounting Hole Type:

Plain

First Leg Length:

2.000 inches

Second Leg Length:

2.875 inches

Reinforcement Method (non-core):

Gusset second leg

Second Leg Width:

5.000 inches

First Leg Hole Diameter:

0.406 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.375 inches

Center Section Height:

5.310 inches

Center Section Width:

5.000 inches

Center Section Thickness:

0.375 inches

First Leg Width:

5.000 inches

First Leg Distance Between Hole Centers Along Width:

3.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.361 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

No hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Knuckle 2.19 lg 0.750 od 0.375 id1.41 from second leg end and triangular gussets outside second leg w/0.164-32unc-2b holes

Material:

Steel comp 1010 or steel comp 1025

Material Specification:

Qq-s-741, cp 1015-1025 federal specification 1st material response or qq-t-830 cp mt1010-mtx1020 federal specification 2nd material response

Surface Treatment:

Cadmium

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0