

View Online at <https://aerobasegroup.com/nsn/5340-01-181-6452>

First Leg Length:

2.500 inches

Second Leg Length:

2.500 inches

End Application:

Univ engrg trac acem9

Second Leg Width:

11.300 inches

First Leg Hole Diameter:

Between 0.169 inches and 0.172 inches

Second Leg Distance Between Hole Centers Along Width:

4.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.120 inches

Second Leg Slot Length:

0.870 inches

Second Leg Slot Width:

0.440 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

10.170 inches

First Leg Distance Between First And Second Hole Centers Along Width:

3.675 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

3.625 inches

First Leg Distance From Edge To Hole Center Along Width:

2.050 inches

First Leg Distance From Edge To Hole Center Along Length:

1.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5083

Material Specification:

Qq-a-200/4, temper h6 military specification single material response

Surface Treatment:

Primer epoxy and plastic polyurethane

Surface Treatment Specification:

Mil-p-23377 military specification 1st treatment response and mil-c-46168 military specification 2nd treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

spec.