

View Online at <https://aerobasegroup.com/nsn/5340-01-182-9571>

Mounting Hole Type:

Plain

First Leg Length:

0.620 inches

Second Leg Length:

1.130 inches

Second Leg Width:

3.500 inches

Second Leg Distance Between Hole Centers Along Width:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.700 inches

Second Leg Slot Length:

0.560 inches

Second Leg Slot Width:

0.334 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

3.500 inches

First Leg End Radius:

0.250 inches

Second Leg End Radius:

0.500 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Heat treat in accordance with 7-hp0180005 to cond. Th 1050 (rc 38.0 min.)

Material:

Stainless steel

Material Specification:

Mil-s-25043, 17-7ph, cond. A military specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, (7-epb040230, no. 21) federal specification single treatment response

Style Designator:

Angle

Unit Of Issue Cube (non-core):

0.02076 cubic feet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-25043 spec.