

View Online at <https://aerobasegroup.com/nsn/5340-01-183-7130>

First Leg Length:

Between 1.190 inches and 1.210 inches

Second Leg Length:

Between 2.630 inches and 2.670 inches

Second Leg Width:

Between 0.610 inches and 0.640 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Hole Diameter:

Between 0.216 inches and 0.226 inches

Second Leg Distance Between Hole Centers Along Length:

1.400 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.302 inches and 0.322 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg Thickness:

Between 0.067 inches and 0.085 inches

Second Leg Thickness:

Between 0.067 inches and 0.085 inches

First Leg Width:

Between 0.610 inches and 0.640 inches

First Leg Distance Between Hole Centers Along Length:

Between 0.415 inches and 0.425 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.302 inches and 0.322 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.240 inches and 0.260 inches

First Leg End Radius:

Between 0.469 inches and 0.531 inches

Second Leg End Radius:

Between 0.469 inches and 0.531 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Titanium alloy

Material Specification:

Ams 4911 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0