

View Online at <https://aerobasegroup.com/nsn/5340-01-184-7652>

Mounting Hole Type:

Plain

First Leg Length:

2.123 inches

Second Leg Length:

2.313 inches

Second Leg Width:

3.000 inches

First Leg Hole Diameter:

0.410 inches

Second Leg Hole Diameter:

0.280 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.250 inches

Second Leg Distance Between Hole Centers Along Length:

1.380 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.130 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.380 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.430 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

3.000 inches

First Leg End Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First leg has 0.750 in. W by 1.620 in. Lg notch, tapered with 0.120 in. Radius corner on each side

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

Surface Treatment:

Enamel semigloss

Surface Treatment Specification:

Tt-e-529 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0