NSN 5340-01-185-2908

Access Cover - Page 1 of 1

Mil-c-15726 spec.



View Online at https://aerobasegroup.com/nsn/5340-01-185-2908

Cross Sectional Shape:
Flat
Hole Diameter:
Between 0.212 inches and 0.219 inches
Width:
5.000 inches
Edge Shape:
Rectangle, four holes
Length:
13.000 inches
Distance Between Holes Along Length:
12.000 inches
Distance Between Holes Along Width:
3.750 inches
Distance From First Hole Centerline To End Along Length:
0.500 inches
Distance From First Hole Centerline To End Along Width:
0.625 inches
Body Thickness:
0.125 inches
Securing Device Type:
Threaded fastener
Mounting Opening Shape Style:
Unthreaded hole
Special Features:
Four outside holes countersunk 82 degrees to 0.420 in. Dia; four inside holes 0.165 in. Min and 0.172 in. Maximum diameter holes
countersunk 82 degrees to 0.030 in. Dia, 0.812 in. Distance from edge along lg to centerline of two holes, 2.125 in. Distance between
centerline of 2 holes, 0.500 in. Distance from edge along w to centerline of two holes; 4.000 in. Distance between centerline of 2 hole
Material:
Copper alloy
Material Specification:
Mil-c-15726, alloy 715 military specification single material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A531c0
Mil-std (military Standard):