

View Online at <https://aerobasegroup.com/nsn/5340-01-185-3554>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.000 inches

**Second Leg Length:**

1.000 inches

**Second Leg Width:**

16.750 inches

**First Leg Hole Diameter:**

Between 0.202 inches and 0.208 inches

**Second Leg Hole Diameter:**

Between 0.202 inches and 0.208 inches

**Second Leg Distance Between Hole Centers Along Width:**

15.250 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

4.000 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

4.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Thickness:**

0.060 inches

**Second Leg Thickness:**

0.060 inches

**First Leg Width:**

16.750 inches

**First Leg Distance Between Hole Centers Along Width:**

15.000 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

5.000 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

5.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.880 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Four holes

**Second Leg Style:**

Square

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg has six holes

**Material:**

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.