

View Online at <https://aerobasegroup.com/nsn/5340-01-185-3554>

Mounting Hole Type:

Plain

First Leg Length:

1.000 inches

Second Leg Length:

1.000 inches

Second Leg Width:

16.750 inches

First Leg Hole Diameter:

Between 0.202 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.202 inches and 0.208 inches

Second Leg Distance Between Hole Centers Along Width:

15.250 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

4.000 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

4.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

First Leg Width:

16.750 inches

First Leg Distance Between Hole Centers Along Width:

15.000 inches

First Leg Distance Between First And Second Hole Centers Along Width:

5.000 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

5.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.880 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Four holes

Second Leg Style:

Square

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg has six holes

Material:

Steel comp 1008 or steel comp 1009 or steel comp 1015 or steel comp 1018 or steel comp 1020

Surface Treatment:

Paint

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.