

View Online at <https://aerobasegroup.com/nsn/5340-01-186-3506>

Mounting Hole Type:

Plain

First Leg Length:

0.594 inches

Second Leg Length:

0.750 inches

Second Leg Width:

1.187 inches

First Leg Hole Diameter:

Between 0.097 inches and 0.100 inches

Second Leg Hole Diameter:

Between 0.192 inches and 0.196 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.312 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

First Leg Width:

0.875 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

0.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

Second Leg End Radius:

0.312 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First and second legs are tapered; for right hand use

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, t42 federal specification single material response

Surface Treatment:

Plastic epoxy

Surface Treatment Specification:

Mil-p-23377 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-p-23377 spec.