

View Online at <https://aerobasegroup.com/nsn/5340-01-186-8563>

Mounting Hole Type:

Plain

First Leg Length:

0.750 inches

Second Leg Length:

0.910 inches

Second Leg Width:

1.460 inches

Second Leg Corner Radius:

0.310 inches

First Leg Hole Diameter:

Between 0.129 inches and 0.134 inches

Second Leg Hole Diameter:

Between 0.094 inches and 0.100 inches

Second Leg Distance Between Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.310 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.310 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

1.000 inches

First Leg Corner Radius:

0.250 inches

First Leg Distance Between Hole Centers Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Secnd hole second leg has 0.220 in. Min, 0.230 in. Maximum dia

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5 t81 federal specification single material response

Surface Treatment:

Primer

Surface Treatment Specification:

Mms425 fscm 76301 mfr ref single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0