

View Online at <https://aerobasegroup.com/nsn/5340-01-189-6463>

Mounting Hole Type:

Plain

First Leg Length:

1.750 inches

Second Leg Length:

1.250 inches

Second Leg Width:

3.000 inches

First Leg Hole Diameter:

Between 1.062 inches and 1.082 inches

Second Leg Hole Diameter:

Between 0.375 inches and 0.395 inches

Second Leg Distance Between Hole Centers Along Width:

2.125 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

3.000 inches

First Leg End Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

1.500 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.660 inches and 0.720 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Special Features:

4 holes, 0.150 in.Dia, are included on first leg, surrounding main hole

Material:

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

Qq-a-200, t6 federal specification single material response

Surface Treatment:

Phosphate zinc and plastic polyurethane

Surface Treatment Specification:

Mil-c-5541 military specification 1st treatment response and mil-c-46168 military specification 2nd treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.