

View Online at <https://aerobasegroup.com/nsn/5340-01-194-7107>

Mounting Hole Type:

Plain and threaded

Second Leg Width:

1.760 inches

Second Leg End Width:

1.576 inches

First Leg Hole Diameter:

Between 0.149 inches and 0.155 inches

Second Leg Hole Diameter:

Between 0.149 inches and 0.155 inches

Second Leg Distance Between Hole Centers Along Width:

1.164 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.200 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

Center Section Height:

2.120 inches

Center Section Width:

1.760 inches

Center Section Thickness:

0.063 inches

First Leg Width:

1.760 inches

First Leg End Width:

1.576 inches

First Leg Distance Between Hole Centers Along Width:

1.164 inches

First Leg Distance From Edge To Hole Center Along Width:

0.200 inches

First Leg Distance From Edge To Hole Center Along Length:

0.210 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Angle

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11, temper 0 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, cl 2 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.