NSN 5340-01-195-1575

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-195-1575

Thread Class:

2b left internal (includes through thread)

Thread Direction:

Right-hand right external

Thread Length:

0.190 inches right external

Length:

Between 0.745 inches and 0.755 inches

End Application:

W/s: truck, ambulance, 2-litter, soft top, 1 1/4 ton hmmwv; aircraft, t-39; truck, vehicle system 1 1/4-ton (hmmwv); truck, utility, cargo troop carrier, 5/4-ton w/e (m998)

Cross-sectional Shape:

Hexagon

Width Across Flats:

Between 0.234 inches and 0.266 inches

Thready Qty Per Inch (tpi):

40 right external

Thread Size:

0.112 inches left internal (includes through thread)

Right Projection Diameter:

0.112 inches

Right Projection Length:

Between 0.174 inches and 0.206 inches

Special Features:

External threads undercut up to 1.5 threads maximum to minor dia

Material:

Stainless steel

Material Specification:

Qq-s-764 federal specification all material responses

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification all treatment responses

Style Designator:

Left internal and right external thread

Thread Series Designator:

Unc right external

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5340-01-195-1575

Spacing Threaded Standoff - Page 2 of 2



Fiig:

A08900