NSN 5340-01-195-5133

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-195-5133

| Mounting Hole Trans |
|---|
| Mounting Hole Type: |
| Countersunk and plain |
| Second Leg Length: |
| Between 0.440 inches and 0.500 inches |
| Second Leg Width: |
| Between 0.880 inches and 0.940 inches |
| Second Leg Hole Diameter: |
| Between 0.143 inches and 0.150 inches |
| Second Leg Distance Between Hole Centers Along Width: |
| Between 0.490 inches and 0.510 inches |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.205 inches |
| Second Leg Distance From Edge To Hole Center Along Length: |
| Between 0.178 inches and 0.198 inches |
| First Leg Thickness: |
| Between 0.131 inches and 0.151 inches |
| Second Leg Thickness: |
| Between 0.130 inches and 0.190 inches |
| First Leg Style: |
| Square |
| First Leg Hole Arrangement Style: |
| No hole |
| Second Leg Style: |
| Corner radius |
| Second Leg Hole Arrangement Style: |
| Two holes |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| Between 89.5 degrees and 92.0 degrees |
| Special Features: |
| First leg is radiused |
| Material: |
| Steel comp 410 |
| Material Specification: |
| Qq-s-763, cl 3 federal specification single material response |
| Surface Treatment: |
| Passivate |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| 11/04 |

NSN 5340-01-195-5133

Angle Bracket - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0

