NSN 5340-01-195-5133

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-195-5133

			_
ΝЛ	ountina	HAIA	I wna.
IVI	Ounting	11016	I VDC.

Countersunk and plain

Second Leg Length:

Between 0.440 inches and 0.500 inches

Second Leg Width:

Between 0.880 inches and 0.940 inches

Second Leg Hole Diameter:

Between 0.143 inches and 0.150 inches

Second Leg Distance Between Hole Centers Along Width:

Between 0.490 inches and 0.510 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.205 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.178 inches and 0.198 inches

First Leg Thickness:

Between 0.131 inches and 0.151 inches

Second Leg Thickness:

Between 0.130 inches and 0.190 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 89.5 degrees and 92.0 degrees

Special Features:

First leg is radiused

Material:

Steel comp 410

Material Specification:

Qq-s-763, cl 3 federal specification single material response

Surface Treatment:

Passivate

Style Designator:

Angle

Shelf Life:

N/a

NSN 5340-01-195-5133

Angle Bracket - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A042a0