## NSN 5340-01-196-2778

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-196-2778

Mounting Hole Type:
Plain
First Leg Length:
0.656 inches
Second Leg Length:
1.781 inches
Second Leg Width:
1.000 inches
Second Leg Corner Radius:
0.250 inches
First Leg Hole Diameter:
Between 0.190 inches and 0.196 inches
Second Leg Hole Diameter:
Between 0.127 inches and 0.133 inches
Second Leg Distance Between Lower Hole Centers Along Width:
0.469 inches
Second Leg Distance Between Hole Centers Along Length:
0.906 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.250 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Thickness:
0.064 inches
Second Leg Thickness:
0.064 inches
First Leg Width:
1.000 inches
First Leg Corner Radius:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Three holes
Features Provided:

Nut

## **NSN 5340-01-196-2778** Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Special Features:
One hole second leg has 0.196 in. Dia
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/4 federal specification single material response
Surface Treatment:
Primer
Surface Treatment Specification:
76 and 161 fscm 26512 mfr ref single treatment response
Style Designator:
Angle
Specification Data:
26512-gb11a3-2 manufacturers specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0