

View Online at <https://aerobasegroup.com/nsn/5340-01-197-2418>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.000 inches

**Second Leg Length:**

2.250 inches

**Second Leg Width:**

9.000 inches

**First Leg Hole Diameter:**

0.160 inches

**Second Leg Hole Diameter:**

0.160 inches

**Second Leg Distance Between Hole Centers Along Width:**

7.760 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.250 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

1.940 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

1.940 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.620 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.620 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

9.000 inches

**First Leg Distance Between Hole Centers Along Width:**

7.880 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

2.000 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

2.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Style:**

Square

**Second Leg Style:**

Square

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

First leg has five holes; second leg has ten holes; hole spacing designed for right hand use

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/8, t6 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.