

View Online at <https://aerobasegroup.com/nsn/5340-01-199-2190>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 3.220 inches and 3.280 inches

**Second Leg Length:**

Between 4.470 inches and 4.530 inches

**Second Leg Width:**

Between 0.970 inches and 1.030 inches

**Second Leg Hole Diameter:**

Between 0.396 inches and 0.416 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 0.470 inches and 0.530 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.380 inches and 0.440 inches

**First Leg Thickness:**

0.1345 inches

**Second Leg Thickness:**

0.1345 inches

**First Leg Width:**

Between 0.970 inches and 1.030 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 88.0 degrees and 92.0 degrees

**Special Features:**

First leg has a 1.970 in. Min, 2.030 in. Maximum lg by 0.970 in. Min, 1.030 in. Maximum w by 0.1345 in. Nom thk mending plate welded in place and has a 0.521 in. Min, 0.541 in. Maximum diameter hole

**Material:**

Steel comp 1009 or steel comp 1137

**Material Specification:**

Astm a569 assn standard 1st material response or astm a366 assn standard 1st material response or astm a109 assn standard 2nd material response

**Surface Treatment:**

Primer

**Surface Treatment Specification:**

Tt-p-636 federal specification single treatment response or tt-p-664 federal specification single treatment response or mil-p-52995 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-p-52995 spec.