## NSN 5340-01-200-6326

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-200-6326

| Mounting Hole Type:                                       |
|---|
| Plain   |
| Reinforcement Method (non-core):                          |
| Gusset both sides   |
| End Application:  |
| F101 engine   |
| Second Leg Width:   |
| 4.320 inches  |
| First Leg Hole Diameter:                                  |
| Between 0.274 inches and 0.288 inches                     |
| Second Leg Distance Between Hole Centers Along Width:     |
| 2.800 inches  |
| Second Leg Distance From Edge To Hole Center Along Width: |
| 0.760 inches  |
| Second Leg Slot Length:                                   |
| 0.600 inches  |
| Second Leg Slot Width:                                    |
| 0.220 inches  |
| First Leg Thickness:                                      |
| Between 0.060 inches and 0.066 inches                     |
| Second Leg Thickness:                                     |
| Between 0.060 inches and 0.066 inches                     |
| First Leg Distance Between Hole Centers Along Width:      |
| 2.500 inches  |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.400 inches  |
| First Leg Style:  |
| Square  |
| First Leg Hole Arrangement Style:                         |
| Two holes   |
| Second Leg Style:   |
| Square  |
| Second Leg Hole Arrangement Style:                        |
| 2 slots   |
| Second Leg Relationship To First Leg:                     |
| Not identical   |
| First Leg Angle:  |
| 90.0 degrees  |
| Special Features:   |
| 2nd leg has curved arch 2.800 in.L along width            |
| Material:   |

Material:

Nickel alloy 625

## NSN 5340-01-200-6326

Angle Bracket - Page 2 of 2



| Material Specification: |
|-------------------------|
|-------------------------|

Ams 5599 assn standard single material response

**Style Designator:** 

Angle

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0