

View Online at <https://aerobasegroup.com/nsn/5340-01-200-7040>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.748 inches and 0.768 inches

Second Leg Length:

Between 0.917 inches and 0.957 inches

Second Leg Width:

Between 1.860 inches and 1.865 inches

Second Leg Corner Radius:

Between 0.365 inches and 0.385 inches

First Leg Slot Length:

Between 0.298 inches and 0.308 inches

First Leg Slot Width:

Between 0.202 inches and 0.208 inches

Second Leg Hole Diameter:

Between 0.202 inches and 0.208 inches

Second Leg Distance Between Hole Centers Along Width:

1.115 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

First Leg Thickness:

Between 0.040 inches and 0.060 inches

Second Leg Thickness:

Between 0.040 inches and 0.060 inches

Center Section Height:

Between 1.735 inches and 1.755 inches

Center Section Width:

Between 1.860 inches and 1.865 inches

Center Section Thickness:

Between 0.040 inches and 0.060 inches

First Leg Width:

Between 1.860 inches and 1.865 inches

First Leg Corner Radius:

Between 0.365 inches and 0.385 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.927 inches and 0.940 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 1.491 inches and 1.496 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8 federal specification single material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0