## NSN 5340-01-201-2964



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-201-2964 First Leg Length: 1.000 inches Second Leg Length: 0.660 inches Second Leg Width: 0.160 inches **Second Leg Corner Radius:** 0.060 inches First Leg Hole Diameter: 0.218 inches Second Leg Hole Diameter: 0.218 inches Second Leg Distance From Edge To Hole Center Along Width: 0.250 inches **Second Leg Distance From Edge To Hole Center Along Length:** 0.250 inches First Leg Thickness: 0.160 inches **Second Leg Thickness:** 0.160 inches First Leg Width: 0.160 inches First Leg Corner Radius: 0.060 inches First Leg Distance Between Hole Centers Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Width: 0.250 inches First Leg Distance From Edge To Hole Center Along Length: 0.250 inches First Leg Style: Corner radius First Leg Hole Arrangement Style: Two holes Second Leg Style: Corner radius **Second Leg Hole Arrangement Style:** One hole Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

45.0 degrees

## NSN 5340-01-201-2964

Angle Bracket - Page 2 of 2

Mil-c-46168 spec.



Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/4, t4 federal specification single material response
Surface Treatment:
Paint and primer
Surface Treatment Specification:
$\label{lem:mil-c-46168} \textit{Mil-c-46168}, forest green military specification 1 st treatment response and mil-p-23377 military specification 2 nd treatment response and military specification 2 nd treatment response 2 nd trea$
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):