NSN 5340-01-205-3556

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-205-3556

Manustra Hala Tonas
Mounting Hole Type:
Plain
First Leg Length:
1.620 inches
Second Leg Length:
4.000 inches
Second Leg Width:
2.000 inches
First Leg Slot Length:
0.750 inches
First Leg Slot Width:
0.312 inches
Second Leg Distance Between Hole Centers Along Length:
1.500 inches
Second Leg Distance From Edge To Hole Center Along Width:
1.000 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.750 inches
Second Leg Slot Length:
0.750 inches
Second Leg Slot Width:
0.312 inches
First Leg Thickness:
0.250 inches
Second Leg Thickness:
0.250 inches
First Leg Width:
3.310 inches
First Leg Distance From Edge To Hole Center Along Width:
0.810 inches
First Leg Distance From Edge To Hole Center Along Length:
0.810 inches
First Leg Side Radius:
0.810 inches
First Leg Style:
Side radius
First Leg Hole Arrangement Style:
One slot
Second Leg Style:
Square
Second Leg Hole Arrangement Style:

2 slots

NSN 5340-01-205-3556 Angle Bracket - Page 2 of 2



Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Material:
Aluminum alloy 6061
Material Specification:
Qq-a-200/8, t6 federal specification single material response
Surface Treatment:
Paint
Surface Treatment Specification:
Cid standard 0985a0160, fscm 54497 mfr ref single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0