

View Online at <https://aerobasegroup.com/nsn/5340-01-205-5123>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.680 inches

**Second Leg Length:**

2.520 inches

**Second Leg Width:**

2.360 inches

**First Leg Slot Length:**

0.219 inches

**First Leg Slot Width:**

0.188 inches

**Second Leg Hole Diameter:**

1.562 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.180 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.180 inches

**First Leg Thickness:**

0.090 inches

**Second Leg Thickness:**

0.090 inches

**First Leg Width:**

2.810 inches

**First Leg End Width:**

2.370 inches

**First Leg Distance Between Hole Centers Along Width:**

0.438 inches

**First Leg Distance Between Hole Centers Along Length:**

0.812 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.186 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.6875 inches

**Second Leg End Radius:**

1.180 inches

**First Leg Style:**

Corner radius w/ tongue

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

End radius

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg has four 0.175 in. Min, 0.180 in. Maximum diameter holes equally spaced on 2.000 in. Diameter bolt circle

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.