

View Online at <https://aerobasegroup.com/nsn/5340-01-205-9259>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

2.000 inches

**Second Leg Length:**

2.000 inches

**Second Leg Width:**

13.500 inches

**First Leg Hole Diameter:**

Between 0.326 inches and 0.331 inches

**Second Leg Distance Between Hole Centers Along Width:**

5.750 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**Second Leg Slot Length:**

0.500 inches

**Second Leg Slot Width:**

0.312 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

13.500 inches

**First Leg Distance Between First And Second Hole Centers Along Width:**

5.750 inches

**First Leg Distance Between Second And Third Hole Centers Along Width:**

5.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

1.000 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Three holes

**Second Leg Style:**

Square

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Six countersunk holes 0.096 in. Min, 0.101 in. Maximum dia, 100.0 degrees x 0.165 in.

**Material:**

Aluminum alloy 6061

**Material Specification:**

Ww-t-700/6 t6 federal specification single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Cid std0985a0160 fscm 54497 mfr ref single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0