NSN 5340-01-207-8578

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-207-8578

First Leg Length:

Between 0.803 inches and 0.813 inches

Second Leg Length:

Between 1.205 inches and 1.225 inches

Second Leg Width:

0.794 inches

Second Leg Corner Radius:

Between 0.195 inches and 0.205 inches

First Leg Hole Diameter:

Between 0.200 inches and 0.210 inches

Second Leg Hole Diameter:

Between 0.120 inches and 0.130 inches

Second Leg Distance Between Hole Centers Along Width:

0.594 inches

Second Leg Distance Between Hole Centers Along Length:

0.594 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.098 inches and 0.103 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.098 inches and 0.103 inches

First Leg Thickness:

Between 0.060 inches and 0.066 inches

Second Leg Thickness:

Between 0.060 inches and 0.066 inches

First Leg Width:

3.190 inches

First Leg End Width:

2.490 inches

First Leg Distance Between Hole Centers Along Width:

1.615 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.210 inches and 0.230 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Four holes

NSN 5340-01-207-8578 Angle Bracket - Page 2 of 2



| Second Leg Relationship To First Leg: |
|---|
| Not identical |
| First Leg Angle: |
| 90.0 degrees |
| Material: |
| Steel |
| Material Specification: |
| Ams 5599 assn standard single material response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A042a0