NSN 5340-01-209-2527

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-209-2527

First Leg Length:

Between 1.450 inches and 1.470 inches

Second Leg Length:

Between 1.660 inches and 1.680 inches

Second Leg Width:

1.900 inches

Second Leg Hole Diameter:

Between 0.395 inches and 0.405 inches

Second Leg Distance Between Hole Centers Along Width:

0.926 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

Between 0.460 inches and 0.480 inches

Second Leg Thickness:

Between 0.460 inches and 0.480 inches

Center Section Height:

Between 5.990 inches and 6.030 inches

Center Section Width:

1.900 inches

Center Section Thickness:

Between 0.460 inches and 0.480 inches

First Leg Width:

1.900 inches

First Leg Distance Between Hole Centers Along Width:

1.125 inches

First Leg Distance From Edge To Hole Center Along Width:

3.880 inches

First Leg Distance From Edge To Hole Center Along Length:

0.360 inches

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

Material:

Stainless steel

NSN 5340-01-209-2527

Double Angle Bracket - Page 2 of 2



Material Specification

Ams 5559 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 1, 2, or 3 federal specification single treatment response

Style Designator:

Offset double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0