

View Online at <https://aerobasegroup.com/nsn/5340-01-209-2859>

Mounting Hole Type:

Counterbored and threaded

First Leg Length:

2.000 inches

Second Leg Length:

6.000 inches

Second Leg Width:

5.000 inches

Second Leg End Width:

1.500 inches

First Leg Slot Length:

0.750 inches

First Leg Slot Width:

0.312 inches

Second Leg Hole Diameter:

0.250 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.750 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.130 inches

First Leg Thickness:

0.380 inches

Second Leg Thickness:

0.380 inches

First Leg Width:

5.000 inches

First Leg Distance Between Hole Centers Along Width:

3.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.880 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8 federal specification single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0