

View Online at <https://aerobasegroup.com/nsn/5340-01-209-9487>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.420 inches

**Second Leg Length:**

1.920 inches

**Second Leg Width:**

2.050 inches

**First Leg Hole Diameter:**

Between 0.139 inches and 0.146 inches

**Second Leg Hole Diameter:**

Between 0.161 inches and 0.176 inches

**Second Leg Distance Between Upper Hole Centers Along Width:**

1.660 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.010 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.830 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.390 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**First Leg Thickness:**

Between 0.120 inches and 0.130 inches

**Second Leg Thickness:**

Between 0.120 inches and 0.130 inches

**First Leg Width:**

2.050 inches

**First Leg End Width:**

1.070 inches

**First Leg Distance Between Hole Centers Along Width:**

0.594 inches

**First Leg Distance Between Hole Centers Along Length:**

0.594 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.213 inches

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Ams 4027 assn standard single material response

**Surface Treatment:**

Plastic polyamide

**Surface Treatment Specification:**

Mil-p-23377 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-p-23377 spec.