

View Online at <https://aerobasegroup.com/nsn/5340-01-209-9487>

Mounting Hole Type:

Plain

First Leg Length:

1.420 inches

Second Leg Length:

1.920 inches

Second Leg Width:

2.050 inches

First Leg Hole Diameter:

Between 0.139 inches and 0.146 inches

Second Leg Hole Diameter:

Between 0.161 inches and 0.176 inches

Second Leg Distance Between Upper Hole Centers Along Width:

1.660 inches

Second Leg Distance Between Hole Centers Along Length:

1.010 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.830 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.390 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.300 inches

First Leg Thickness:

Between 0.120 inches and 0.130 inches

Second Leg Thickness:

Between 0.120 inches and 0.130 inches

First Leg Width:

2.050 inches

First Leg End Width:

1.070 inches

First Leg Distance Between Hole Centers Along Width:

0.594 inches

First Leg Distance Between Hole Centers Along Length:

0.594 inches

First Leg Distance From Edge To Hole Center Along Length:

0.213 inches

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Ams 4027 assn standard single material response

Surface Treatment:

Plastic polyamide

Surface Treatment Specification:

Mil-p-23377 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-p-23377 spec.