

View Online at <https://aerobasegroup.com/nsn/5340-01-211-1182>

Mounting Hole Type:

Plain

First Leg Length:

1.000 inches

Second Leg Length:

1.250 inches

Second Leg Width:

8.000 inches

First Leg Hole Diameter:

Between 0.328 inches and 0.331 inches

Second Leg Distance Between Hole Centers Along Width:

7.625 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.188 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

Second Leg Slot Length:

0.200 inches

Second Leg Slot Width:

0.140 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

First Leg Width:

8.000 inches

First Leg Distance Between Hole Centers Along Width:

4.000 inches

First Leg Distance From Edge To Hole Center Along Width:

3.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Cut out

Second Leg Hole Arrangement Style:

2 slots

Features Provided:

Retaining lug

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Cutout Length:

0.560 inches

Second Leg Cutout Width:

6.500 inches

Special Features:

Right hand

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-f-14072, e512 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-f-14072 spec.