## NSN 5340-01-212-5242

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-212-5242
Mounting Hole Type:
Plain
First Leg Slot Length:
0.810 inches
First Leg Slot Width:
0.410 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.620 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.690 inches
Second Leg Slot Length:
0.620 inches
Second Leg Slot Width:
0.310 inches
First Leg Thickness:
0.1875 inches
Second Leg Thickness:
0.1875 inches
Center Section Width:
1.250 inches
Center Section Thickness:
0.1875 inches
First Leg Width:
1.250 inches
First Leg Distance From Edge To Hole Center Along Width:
0.620 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
One slot
Second Leg Hole Arrangement Style:
One slot
Second Leg Relationship To First Leg:
Not identical
Special Features:
2no leg offset at 36.0 degree angle
Material:
Steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or
steel comp 1018 or steel comp 1019 or steel comp 1020
Material Specification:
Astm a109 assn standard all material responses or sae assn standard all material responses

Enamel

**Surface Treatment:** 

## NSN 5340-01-212-5242

Double Angle Bracket - Page 2 of 2



Surface Treatment S	Specification:
---------------------	----------------

Tt-e-529 federal specification single treatment response

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A042a0